The impact of large-scale circulation on daily fine particulate matter (PM_{2.5}) over major populated regions of China in winter

Zixuan Jia¹, Ruth M. Doherty¹, Carlos Ordóñez², Chaofan Li^{3,6}, Oliver Wild⁴, Shipra Jain¹, Xiao Tang⁵

¹School of GeoSciences, University of Edinburgh, Edinburgh, UK

⁵ ²Departamento de Física de la Tierra y Astrofísica, Facultad de Ciencias Físicas, Universidad Complutense de Madrid, Madrid, Spain ³Center for Monsoon System Research, Institute of Atmospheric Physics, Chinese Academy of Sciences, Beijing, China ⁴Lancaster Environment Centre, Lancaster University, Lancaster, UK

- ⁵LAPC, Institute of Atmospheric Physics, Chinese Academy of Sciences, Beijing, China
- 10 ⁶College of Earth and Planetary Sciences, University of the Chinese Academy of Sciences, Beijing, China

Correspondence to: Zixuan Jia (Z.Jia-6@sms.ed.ac.uk)

25 Supporting information



Figure S1: Correlation coefficients of daily PM_{2.5} concentrations in YRD with one day before WSPD during DJF 2013–2017 (dotted regions indicate significant correlations at the 95% level from the two-tailed Student's *t*-test). Grey shading represents the YRD region.

35

45

40



Figure S2: As Figure 6 of the main text, but without a time lag.



Figure S3: Correlation coefficients of daily $PM_{2.5}$ concentrations in YRD with (a) one day before SLP (Figure 7a of the main text) and (b) the same day SLP during DJF 2013–2017 (dotted regions indicate significant correlations at the 95% level from the two-tailed Student's *t*-test). Grey shading represents the YRD region.



Figure S4: Correlation coefficients of daily PM_{2.5} concentrations in PRD with two days before (a) SSTs and (b) SLP during DJF 2013–2017 (dotted regions indicate significant correlations at the 95% level from the two-tailed Student's *t*-test). Grey shading represents the PRD region.



95 Figure S5: As Figure 8 of the main text, but without a time lag.



110 Figure S6: Correlation coefficients of daily PM_{2.5} concentrations in PRD with (a) two days before V850 (Figure 9b of the main text), (b) one day before V850, and (c) the same day V850 during DJF 2013–2017 (dotted regions indicate significant correlations at the 95% level from the two-tailed Student's *t*-test). Grey shading represents the PRD region.

Table S1: Correlation of daily PM_{2.5} concentrations over BTH, YRD and PRD with three EAWM indices (I_{Yang} (V850): Yang et al., 2002; I_{Sun} (Z500): Sun and Li, 1997; I_{Jhun} (U300): Jhun and Lee, 2004) and a Siberian high index (I_{SH} (SLP): Wu and Wang, 2002) from the literature during DJF 2013–2017. Correlations at the 99% confidence level are shown in bold.

Correlation coefficient	-(Iyang)	-(Isun)	IJhun	I _{SH}
(450 days)	(V850)	(Z500)	(U300)	(SLP)
PM2.5 (BTH)	-0.46	-0.54	-0.36	-0.13
PM _{2.5} (YRD)	0.03	-0.02	-0.08	-0.15
PM _{2.5} (PRD)	-0.01	0.12	-0.03	-0.19

Table S2: Regression coefficients for the multiple linear fit of daily $PM_{2.5}$ concentrations on the large-scale circulation index and the most important regional meteorological field in each region during DJF 2013–2017. All the regression coefficients are significant at the 99% confidence level.

BTH	I _{Z500_BTH}	RH
Regression coefficient with PM _{2.5}	-0.02 µg m ⁻³	0.25 μg m ⁻³ % ⁻¹
YRD	ISLP_YRD	WSPD
Regression coefficient with PM _{2.5}	-0.01 µg m ⁻³	-0.02 μg m ⁻⁴ s
PRD	IV850_PRD	RH
Regression coefficient with PM _{2.5}	-0.02 μg m ⁻³	-0.37 µg m ⁻³ % ⁻¹