| 1 | Supplementary Information |
|----|--|
| 2 | Simulation of the effects of low volatility organic compounds on aerosol number |
| 3 | concentrations in Europe |
| 4 | David Patoulias ^{1,2} and S. N. Pandis ^{1,2} |
| 5 | |
| 6 | ^[1] Department of Chemical Engineering, University of Patras, Patras, Greece |
| 7 | ^[2] Institute of Chemical Engineering Sciences, Foundation for Research and Technology – Hellas |
| 8 | (FORTH/ICE-HT), Patras, Greece |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
| 21 | |

| CASE | Anthropogenic | ELVOCs | IVOCs |
|-------------|---|--------------|--|
| 1 | | Monoterpene | Yes |
| (Base case) | | oxidation 5% | Aging reaction: $k=4x10^{-11}$ cm ³ molec ⁻¹ s ⁻¹ |
| | | molar yield | |
| 2 | Aging with OH | No | Yes |
| | $k=10^{-11} \text{ cm}^3 \text{ molec}^{-1} \text{ s}^{-1}$ | | Aging reaction: $k=4x10^{-11}$ cm ³ molec ⁻¹ s ⁻¹ |
| 3 | | Monoterpene | No |
| | | oxidation 5% | |
| | | molar yield | |

| Table S2: Boundary and initial conditions of the gases, PM, and number concentration | tion of the |
|--|-------------|
|--|-------------|

simulation.

| | | Boundar | | | |
|-----------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Gas (ppb) | WEST | EAST | SOUTH | NORTH | Initial conditions |
| | 1x10 ⁻² |
| Sulfur dioxide (SO ₂) | | | | | |
| Ozone (O ₃) | 35 | 35 | 35 | 35 | 35 |
| Nitric acid (HNO ₃) | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| | | | 5x10 ⁻² | | |
| Formaldehyde (FORM) | 5x10 ⁻² | 5x10 ⁻² | | 5x10 ⁻² | 5x10 ⁻² |
| | | 5x10 ⁻² | | 5x10 ⁻² | 5x10 ⁻² |
| Ammonia (NH ₃) | 5x10 ⁻² | | 5x10 ⁻² | | |
| | 5x10 ⁻³ |
| Ethene (ETH) | | | | | |
| Carbon monoxide (CO) | 50 | 50 | 50 | 50 | 50 |
| Peroxynitric acid | 1x10 ⁻⁶ |
| (HNO ₄) | | | | | |
| Aerosol (µg m ⁻³) | | | | | |
| | 1x10 ⁻⁹ |
| Dust (2.5 μm-10 μm) | | | | | |
| | 1x10 ⁻⁹ |
| Sulfate (40 nm - 2.5 μm) | | | | | |
| | 6.6x10 ⁻⁷ |
| SOA (40 nm - 2.5 µm) | | | | | |
| Number conc. (cm ⁻³) | 50 | 50 | 50 | 50 | 50 |

Table S3: Description of atmospheric measurement sites in Europe used in this work. Name Longitude Station Country Latitude Annaberg-Buchholz 50.5717 ANB Germany 12.9989 17.3833 ASP Aspvreten Sweden 58.8000 BRK Birkenes II 58.3885 8.2520 Norway CBW Netherlands 51.9703 Cabauw Zijdeweg 4.9264 DSN Germany Dresden-Nord 13.7414 51.0650 Dresden-DSW Germany Winckelmannstrasse 51.0361 13.7306 **FNK** Finokalia 35.3167 Greece 25.6667 **GDN** Giordan Lighthouse Malta 36.0722 14.2184 HOH Germany Hohenpeissenberg 47.8015 11.0096 HYY Hyytiala Finland 61.8500 24.2833 ISP Italy Ispra 45.8000 8.6333 KPU K-puszta Hungary 46.9667 19.5833 Czech KST Kosetice (NOAK) Republic 49.5734 15.0803 MLP Germany Melpitz 51.5301 12.9339 **MNT** Montseny Spain 41.7667 2.3500 Czech PRG Prague-Suchdol Republic 50.1264 14.3846 Czech USM Usti n.L.-mesto Republic 50.6611 14.0403 VAV Sweden Vavihill 56.0167 13.1500 VRR Varrio Finland 67.7667 29.5833 VSM TMNT09 Vielsalm Belgium 50.3040 6.0013 WLD Germany Waldhof 10.7594 52.8022 Zugspitze-ZUG Germany Schneefernerhaus 10.9796 47.4165 NEO Greece Costa Navarino 36.9932 21.6572 PAT Patra-ICE-HT Greece 38.2980 21.8092 SPC San Pietro Capofiume Italy 44.6553 11.6236 THE Greece 40.6166 23.0333 Thessaloniki

33

34

35

36

Table S4a: AMS PM₁ composition atmospheric measurement sites.

| Station | Name | Country | Longitude | Latitude | Altitude (m) |
|---------|----------------------|---------|-----------|----------|--------------|
| FIN | Finokalia | Greece | 35.3167 | 25.6667 | 250 |
| PAT | Patra | Greece | 38.2980 | 21.8092 | 85 |
| BOL | Bologna | Italy | 44.4833 | 11.3333 | 0 |
| SPC | San Pietro Capofiume | Italy | 44.6553 | 11.6236 | 11 |

Table S4b: Filter-based PM2.5 composition measurements sites.

| Station | Name | Country | Longitude | Latitude | Altitude (m) |
|---------|-------------|-------------|-----------|----------|--------------|
| Station | 1 vuine | Country | Longitude | Luttuut | |
| CH02 | Payerne | Switzerland | 46.8131 | 6.9447 | 489 |
| DE44 | Melpitz | Germany | 51.5301 | 12.9339 | 86 |
| ES1778 | Montseny | Spain | 41.7667 | 2.3500 | 700 |
| IT04 | Ispra | Italy | 45.8000 | 8.6333 | 209 |
| PL05 | Diabla Gora | Poland | 54.1500 | 22.0667 | 157 |
| SI08 | Iskrba | Slovenia | 45.5667 | 14.8667 | 520 |

| Station | Mean Observed | Mean Predicted | NMB | NME | Mean Observed | Mean Predicted | NMB | NME |
|---------|---------------------|---------------------|-----|-----|---------------------|---------------------|-----|-----|
| | (cm ⁻³) | (cm ⁻³) | (%) | (%) | (cm ⁻³) | (cm ⁻³) | (%) | (%) |
| | | N ₁₀ | | I | | N ₁₀₀ | | |
| ANB | 8057 | 6763 | -16 | 37 | 1518 | 944 | -38 | 46 |
| ASP | 2130 | 5310 | 149 | 149 | 552 | 748 | 36 | 57 |
| BRK | 1878 | 3158 | 68 | 89 | 607 | 403 | -34 | 64 |
| CBW | 13101 | 10223 | -22 | 29 | 1627 | 1448 | -11 | 16 |
| DSN | 10591 | 6727 | -36 | 39 | 1976 | 1144 | -42 | 45 |
| DSW | 7706 | 6364 | -17 | 38 | 1426 | 1123 | -21 | 34 |
| FNK | 3962 | 5561 | 40 | 42 | 1760 | 2275 | 29 | 35 |
| GDN | 5712 | 6805 | 19 | 33 | 2492 | 2695 | 8 | 28 |
| HOH | 3438 | 3116 | -9 | 40 | 1011 | 630 | -38 | 40 |
| HYY | 2207 | 2488 | 13 | 29 | 677 | 566 | -16 | 28 |
| ISP | 6232 | 6636 | 6 | 45 | 1775 | 1227 | -31 | 39 |
| KPU | 5269 | 6069 | 15 | 45 | 1543 | 1797 | 16 | 26 |
| KST | 3596 | 5047 | 40 | 51 | 1123 | 1100 | -2 | 25 |
| MLP | 5583 | 6223 | 11 | 43 | 1214 | 1064 | -12 | 28 |
| MNT | 6455 | 8736 | 35 | 50 | 1492 | 1680 | 13 | 44 |
| PRG | 7272 | 7586 | 4 | 46 | 1177 | 1224 | 4 | 27 |
| USM | 15171 | 8764 | -42 | 51 | 1657 | 1050 | -37 | 40 |
| VAV | 3250 | 8496 | 161 | 161 | 766 | 922 | 20 | 49 |
| VRR | 1107 | 1107 | 0 | 51 | 324 | 158 | -51 | 63 |
| VSM | 2903 | 7504 | 158 | 158 | 704 | 729 | 3 | 32 |
| WLD | 4956 | 8079 | 63 | 69 | 1116 | 993 | -11 | 21 |
| ZUG | 1237 | 2450 | 98 | 114 | 555 | 497 | -11 | 36 |
| NEO | 2864 | 5179 | 81 | 83 | 1489 | 1930 | 30 | 41 |
| PAT | 4705 | 5305 | 13 | 47 | 1747 | 1754 | 0 | 23 |
| SPC | 8301 | 7451 | -10 | 35 | 1702 | 2020 | 19 | 35 |
| THE | 3894 | 8830 | 127 | 127 | 1387 | 2347 | 69 | 72 |
| ALL | 4820 | 6125 | 27 | 65 | 1160 | 1240 | 5 | 43 |

Table S5: Prediction skill metrics of PMCAMx-UF for the case without IVOCs against daily

ground measurements of particle number concentration above 10 nm (N_{10}) and 100 nm (N_{100})

Table S6: Prediction skill metrics of PMCAMx-UF for the simulation without ELVOCs against
 daily PM1 OA measurements.

| Station | Mean Predicted (µg m ⁻³) | Mean Observed (μg m ⁻³) | NMB (%) | NME (%) | Factor of 2 (%) |
|---------|--|---|------------|------------|--------------------|
| FIN | 2.98 | 2.12 | 40 | 44 | 87 |
| PAT | 2.45 | 3.80 | -35 | 35 | 90 |
| BOL | 4.29 | 5.68 | -24 | 35 | 74 |
| SPC | 4.32 | 3.98 | 9 | 40 | 83 |
| ALL | 3.56 | 3.79 | -6 | 38 | 83 |

Table S7: Prediction skill metrics of PMCAMx-UF for the simulation without ELVOCs against
 daily PM_{2.5} OA measurements.

| Name | Station | Country | Mean Observed | Mean Predicted | NMB | NME | Factor of 2 |
|--------|----------------|-------------|-----------------------|-----------------------|-----|-----|-------------|
| | | | (µg m ⁻³) | (µg m ⁻³) | (%) | (%) | (%) |
| CH02 | Payerne | Switzerland | 2.54 | 2.02 | -21 | 70 | 48 |
| DE44 | Melpitz | Germany | 2.52 | 4.25 | 69 | 85 | 66 |
| ES1778 | Montseny | Spain | 4.52 | 6.35 | 40 | 88 | 67 |
| IT04 | Ispra | Italy | 5.13 | 5.74 | 12 | 48 | 68 |
| PL05 | Diabla Gora | Poland | 3.64 | 3.81 | 5 | 40 | 84 |
| SI08 | Iskrba | Slovenia | 5.98 | 5.15 | -14 | 34 | 80 |
| ALL | | | 4.06 | 4.55 | 15 | 61 | 69 |

Table S8: Prediction skill metrics of PMCAMx-UF for the simulation without IVOCs against
 daily PM₁ OA measurements.

| Station | Mean Predicted (µg m ⁻³) | Mean Observed (µg m ⁻³) | NMB (%) | NME (%) | Factor of 2 (%) |
|---------|--|---|------------|------------|--------------------|
| FIN | 2.44 | 2.12 | 15 | 26 | 93 |
| PAT | 2.25 | 3.80 | -41 | 41 | 80 |
| BOL | 3.88 | 5.68 | -32 | 36 | 78 |
| SPC | 3.80 | 3.98 | -5 | 34 | 93 |
| ALL | 3.12 | 3.79 | -18 | 35 | 87 |

Table S9: Prediction skill metrics of PMCAMx-UF for the simulation without IVOCs against
 daily PM_{2.5} OA measurements.

| Name | Station | Country | Mean Observed | Mean Predicted | NMB | NME | Factor of 2 |
|--------|----------------|-------------|-----------------------|-----------------------|-----|-----|-------------|
| | | | (µg m ⁻³) | (µg m ⁻³) | (%) | (%) | (%) |
| CH02 | Payerne | Switzerland | 2.54 | 2.08 | -18 | 51 | 72 |
| DE44 | Melpitz | Germany | 2.52 | 3.70 | 47 | 65 | 69 |
| ES1778 | Montseny | Spain | 4.52 | 4.31 | -5 | 61 | 67 |
| IT04 | Ispra | Italy | 5.13 | 3.50 | -32 | 45 | 65 |
| PL05 | Diabla Gora | Poland | 3.64 | 3.56 | -2 | 38 | 87 |
| SI08 | Iskrba | Slovenia | 5.98 | 3.78 | -37 | 37 | 80 |
| ALL | | | 4.06 | 3.49 | -8 | 50 | 73 |



Figure S1: Comparison of predicted (base case) versus observed (Zeppelin) 3-min particle number concentrations (in cm⁻³) for (a) N_{10} and (b) N_{100} of 25 flights over the Po Valley during the PEGASOS campaign. There are approximately 2000 measurements included in the dataset. Also shown the 1:1, 2:1 and 1:2 lines.

- -



109

Figure S2: Average ground level number concentrations (in cm⁻³) (a-b-c), increase of number concentration (in cm⁻³) (d-e-f) and fractional increase (f_{Nx}) of number concentration (g-h-i) due to the condensation of ELVOCs during 5 June – 8 July 2012 for: (a-d-g) particles between 0.8 nm and 10 nm (N_{1-10}); (b-e-h) particles between 10 nm and 50 nm (N_{10-50}) and (c-f-i) particles between 50 nm and 100 nm (N_{50-100}). Different scales are used.

- 115
- 116
- 117
- 118
- -
- 119



120

Figure S3: Time series of particle number concentrations (in cm⁻³) for (a) N_3 , (b) N_{10} , (c) N_{50} , (d) N_{100} and condensation sink (in sec⁻¹) in Hyytiala site during 5 June – 8 July 2012 with red line the predictions of PMCAMx-UF for the base case, blue lines the prediction of PMCAMx-UF for the case without ELVOCs and the black dots are the measurements.



Figure S4: Average number size distribution in Hyytiala site during 5 June – 8 July 2012. The
red line is the prediction of PMCAMx-UF for the base case simulation, the blue line is the
prediction of PMCAMx-UF for the case without ELVOCs and the black line is the measured
distribution (the smallest particles were not included in these measurements).