

Response to Anonymous Referee #2

Referee comment on "Nontrivial Relations Among Particle Collision, Relative Motion and Clustering in Turbulent Clouds: Computational Observation and Theory" by Ewe-Wei Saw and Xiaohui Meng, Atmos. Chem. Phys. Discuss., <https://doi.org/10.5194/acp-2021-844-RC2>, 2021

Review of "Nontrivial Relations Among Particle Collision, Relative Motion and Clustering in Turbulent Clouds: Computational Observation and Theory" by Saw and Meng

This article reports on theoretical modeling of the clustering and relative velocity of inertial particles in homogeneous, isotropic turbulence. The crucial difference between this work and much of the inertial particle work in the literature, is that particles are allowed to collide and coagulate (coalesce). The theoretical model addresses the now-25-year-old suggestion that collision rate can be expressed in a generalized form, being the product of the radial distribution function (which represents the tendency of inertial particles to 'cluster' in turbulence) and the mean radial velocity (which represents the tendency of inertial particles to have an average inward relative velocity).

The theoretical effort rests on the output from direct numerical simulation (DNS) of the Navier-Stokes equations for a triply-periodic box of turbulence containing inertial particles with small Stokes numbers. The key, novel findings from the paper are: 1) accounting for collisions leads to an extreme drop off in the radial distribution function at small droplet separation distances, on the order of the droplet diameter (the collision scale); 2) an apparently empirical power-law fit to this drop off in the radial distribution function, together with assumptions about randomness and linearity of droplet relative trajectories, leads to expressions for the mean relative velocity that match the DNS results with reasonable success.

Although there have been suggestions of finding 1 in the previous literature, the extension of drift- diffusion theory (Fokker-Planck method used by Chun et al.) to account for collisions provides important new insight into the fundamental link between the two contributions to the generalized collision rate. In short, the notion of independent contributions of radial distribution function and mean relative velocity is invalid. The findings presented here show how they are related to each other, which should lead to simplification of the general collision problem. Furthermore, the finding that a simple model of particle approach angles can successfully describe the behavior of the mean relative velocity is important.

The paper is technically sound, as far as I am able to follow the derivations, and the central findings are of relevance to the cloud droplet collision problem.
Recommendations to improve the clarity and interpretation of the paper are given below.

>> We thank the referee for these rather positive comments. We find pleasure in knowing that the referee has a deep understanding of our work and appreciates the potential impact of some of our findings.

Grammar check: The paper is written in a reasonably clear way, but there are many grammatical errors, especially agreement of case. Even an automated corrector like Grammarly would significantly improve this.

>> We thank the referee for this suggestion, we have use Grammarly as suggested & have corrected the errors found.

Title: I don't find the "Nontrivial Relations" in the title very compelling. It's the authors' call on this, but I would recommend changing it so that the title conveys a clear physical meaning. For example, "Strong coupling of particle collision, relative motion and clustering in turbulent clouds".

>> We appreciate this view by the referee. We also see the benefits of highlighting the most important finding of the paper in the title (like the suggestion). But unfortunately, our view is that the paper conveys more than just the "strong coupling". And one of our intended messages is that there are still more mysteries to be solved, e.g. the apparent paradox pertaining to the historic accuracy of the differential version of the theory, the role of other forces and so on. It is our subjective feeling that while we have found some solid answers in this work, we are unleashing more interesting questions with which we are still toying/struggling with to date. In that spirit, we thought "nontrivial" would be closer to what we wish to convey, as we feel the ultimate answer is yet to come. However, we might agree with the referee that it may not be the best choice of word, so we shall change it to "Intricate Relations" instead.

Abstract, first sentence: The meaning of "the reverse effect" is unclear.

>> We have removed the word "reverse" from this sentence to avoid confusion.

Abstract, second sentence: This is vague, please specify that DNS for St<1 and St<<1 are conducted (i.e., define "various cases").

>> We have now specified the regime of interest and the range of St covered in the abstract.

Abstract, lines 9-10: It's strange to read that the "theory accurately accounts for the DNS results" but then that a phenomenological model is being developed. Perhaps this can be clarified.

>> This is now further clarified in the abstract.

Lines 25-29: It's confusing to discuss RDF and MRV before they are formally defined. I recommend keeping the discussion general here, and not referring specifically to terms that will be confusing.

>> Modification has been made to be in line with this comment. The discussion is now general.

Line 34: MRV as defined is averaged over all *approaching* particle pairs, correct?

>> That is correct. Since this conditioning is already clear in the mathematical symbol used, we have revised the text to state only the general phrase "averaged over particle pairs" which is meant to clarify the meaning of the symbol $\langle \dots \rangle_*$. In relation to this, one should note that the condition of "approaching particle pairs" is only needed when one is working under the "separation paradigm" i.e. considering ghost-particles that never collide, because in that case the unconditional MRV is nominally zero.

Line 39: It would be more accurate to state that the other theories are similar, rather than equivalent.

>> We have incorporated this change.

Lines 83-85: How is the coagulation growth balanced to achieve steady state? Is there a loss term for the particles that are growing by coagulation?

>> We focus on the statistics of “monomers” only (i.e. the particle of the smallest size that we have introduced into the system initially and later replenished at a constant rate close to the monomer-monomer collision rate). In this sense, monomers are naturally lost (from our consideration) once they collide and become larger particles (which we ignore). Hence, the lost rate of monomers equals monomer-monomer collision rate. Also, particles that become much larger ($St > 22$) is removed from the DNS. We now describe these details in a dedicated section in the Supplement.

Table 1: The use of dm is strange. Is there a compelling reason for this? The authors can do what they prefer, but using m or cm would be more typical. Also, in the caption, no units are given for d^* .

>> We prefer to keep “ dm ” as the spatial unit as it is not scientifically incorrect. Historically, our DNS was carried out without any specific units, this is not an uncommon practice among DNS workers. Ultimately one should look at normalized or dimensionless parameters when interpreting or comparing results. Units were added due to reviewer request. However, we have a vast amount internal notes without explicit units. The choice of dm allows us to keep drawing from these notes without risk of errors. The missing units of d^* is now added.

Line 89: “closely tied to the fluid velocity...”

>> We have incorporated this change.

Lines 105 and 107: I recommend giving equation numbers for q_i^d and q_i^D so they can be referred to later. Specifically, there is no need to squeeze the definitions into lines 145-146, instead they can be cited.

>> We have incorporated this change.

Lines 112-113: I was confused by the Stokes numbers because of the way the sentence is written (it looks like the RDFs are for particles of different Stokes numbers). Reformat to make it clear.

>> Changes have been made to prevent this confusion.

Lines 130-133: It would help to move this sentence to earlier in the section where the figure is first introduced.

>> We prefer to highlight the most important (new) findings by discussing them first. The observation those lines refer to, in our view, is just a confirmation of very well-established result. However, we will now mention/hint right after the figure’s debut, that power-laws are observed.

Figure 1 caption: Is there a reason for defining d_1 as $0.99d$?

>> The ultimate reason is an empirical one. This results from the fit of the two-piece-power-law to the DNS results. We have now clarified this in the manuscript.

Equation 5: This is a repeat of equation 4, so it can be deleted. My sense is that lines 139-144 and the accompanying footnote can be moved to the previous section and the result would be much clearer.

>> We have now significantly reduced these redundancies.

Line 148: The meaning of "nontrivial effects" is unclear.

>> This phrase is unnecessary, we have now revised (simplified) the sentence.

Line 151: Can a physical interpretation of the two A_{ik} terms be provided?

>> We now give some physical interpretation for these quantities (now denoted as a_{ik} to avoid confusion).

Lines 155-156: Is there a physical interpretation for why the drift flux is positive for St less than order 0.01?

>> We currently do not have a satisfactory interpretation for this. We merely added a footnote explaining that: Here a positive q_r^d merely reflects a deficit in the inward flux of neighboring particles since we find that $q_r^d + q_r^D$ is always negative. In other words, it does not mean that particles are actually drifting away from each other.

Line 162: Define \Omega.

>> This is now corrected.

Line 166: It is stated that the addition of the factor c_{st} is 'crucial'... please provide an interpretation of what this represents. Is it purely empirical in its motivation?

>> Yes, it can be understood as an empirical correction. A further motivation of the choice of word "crucial" is now given in a footnote in the section in the Supplement which (in the original draft of this paper) already contained the derivation that shows that it is crucially needed in order for the theory (integral version) to be consistent with empirical results of e.g. Lu (2010), Yavuz (2018) and DNS results.

Equation 8: Formatting is strange.

>> This is to anticipate that the equation will need to fit in the two-column format of ACP. So, this shall remain.

Line 187: The form of the 'ansatz' suggests that there is statistical independence between g_0 and g_s . Please discuss.

>> We have added "The inset in Fig.2b shows that $g_0(r)$ ($= g_{\text{DNS}}(r)/g_s(r)$) is roughly St -independent in this regime.". We cannot claim that this is generally true (this shall be a subject of future works).

Line 193: Should it be $St=0.054$?

>> Yes. Corrected.

Figure 1b: The compensated $g(r)$ for $r > r_c$ is flat, so does that imply that c_{10} is 0 in for that part of the piecewise function? If so, this should be stated, e.g., that the form on line 189 only applies in a nontrivial way to the r .

>> Yes, g_{DNS}/g_s which is basically g_0 is nearly flat in that regime and g_0 is nearly equals to constant "1". But we do not make this assumption, we merely do the curve fitting and found that (as reported in the caption). $g_0 = 1.00(r-d_1)^{-2 \times 10^{-4}}$ in that regime. Then, we use this result, as is, in the numerical calculation of MRV later. We do not understand the meaning of "that the form on line 189 only applies in a nontrivial way to the r ". The paragraphs concerned is now heavily rewritten to make it more clear, extra line is also shown in the figure. We believe these should have addressed the concerns the referee has on this point.

Figure 2a: The labels for the x-axis appear to be cut off. Also, the lines are difficult to see, the orange line isn't visible for small r .

>> The two panels share the same labels and ticks, so the labels of the top panel is supposed to be hidden, this is the case when the paper is compiled into a two column ACP format, but however, when compiled in the current preprint format, it looks like this. Please ignore them. We have also made changes to hide them better. We have now made changes to make the lines more visible. The orange line is now a solid line. We have removed the black-line from the small- r regime, since it is a prediction that is only valid for large- r , we thus show it in that regime only. These changes should reduce clutter and make the lines more visible.

>> We also corrected an error on the green-line i.e. prediction from the differential version of the theory (in the past we have shown a wrong version that does not correspond to the original CK theory. It was a generalized version that incorporates a modification to improve the accuracy over the original CK version— such modification is outside the scope of this paper).

Figure 2: Can an interpretation be provided for why there is so little difference for the large and small- r limits of the integral in Equation 8?

>> This is related to our speculation (explained in the Supplement) that there may be another factor of $\sim 1/2$ missing in the definition of the diffusive flux. The related discussion and figure can be found in the Supplement, where we show that adding this empirically inspired factor changes the MRV prediction especially in the large- r regime, which make it much closer to DNS results. Without this factor, as we can see in Fig. 2a of the main text of the manuscript, the predictions deviate significantly from the DNS results in the large- r regime. However, since this is somewhat speculative, we choose not to include this discussion in the main manuscript (it will be a subject of future works).

Line 205: It is stated that the agreement between DNS and predictions is 'remarkable', but is it really? The theoretical treatment is pretty dense, so it's difficult to come away with a clear understanding of how many adjustable parameters are included. The more adjustable parameters, the less remarkable agreement would appear to be. Some discussion of this point would be helpful in guiding the reader and helping to understand just how remarkable the finding is.

>> In retrospect, this choice of word has more to do with our initial excitement over the results. We now revise it to "the agreement ... is noteworthy". We hope the rewriting of the paragraphs relating to the numerical solution to the theory (mentioned earlier) should make the "theoretical treatment" appears less dense.

Lines 256-257: The breakdown of the separation paradigm is a significant finding. It implies that the problem is somehow simpler than a product of independent contributions

to the clustering and the approach velocity. How reasonable is it to think about this problem now being reduced in complexity?

>> In the way that the referee frames it, yes it does appear simpler conceptually. But in reference to past works, including Chun et al. (2005), the idea was that it would be easier, if not simpler, to solve one problem at time (separately), and later combine the results. For example, Chun et al. assume that the velocity statistics is given by the fluid statistics then move on to solve for the RDF. The referee raises an interesting point, one that have made us ponder, and we shall continue to think about this in the future. However, at this point, before further investigations, we are unable to formulate very conclusive remarks on this. Perhaps one unintended value of our work is the suggestion that only the velocity statistics (MRV and beyond) matter, the RDF is just a manifestation of the action of the velocities (i.e. particles are denser somewhere because the velocities "prefer" to bring them there). But as we said, we have not fully convinced ourselves on this point and thus prefer not to discuss this in the current manuscript.

Section 5: It would be useful to discuss the potential role of micro-hydrodynamic interactions between particles. Those have not been included, but one would assume that they will become significant at nearly the same scales as the currently observed adjustments to the RDF and MRV. One possible implication is that collision-efficiency effects will influence the RDF and MRV in a coupled fashion, rather than independently.

>> This is now discussed in Section 4.5. A discussion of the effects of gravity could also be found there.

Line 263: The statement "we uncovered the unexplained accuracy of the differential drift- diffusion equation" is vague, so please clarify.

>> The sentence has been rewritten.

Supplement: The title is incorrect... should be updated to current version.

>> Change has been made.