

1 *Supplement of*

2 **Simulating the radiative forcing of oceanic dimethylsulfide (DMS) in Asia based on Machine learning
3 estimates**


4

5

6 **Junri Zhao et al.**

7 *Correspondence to:* Yan Zhang (yan_zhang@fudan.edu.cn)


8



9

10 **Figure S1.** Spatial distribution of DMS measurements in simulation domain (11°S to 55°N, 60–150°E).


11



12

13 **Figure S2.** Zonal mean DMS sea-surface concentrations predicted by XGBoost between -10 to 50° latitude band of
 14 entire simulation domain (11°S to 55°N, 60–150°E).


15



16

17 **Figure S3.** Spatial plots of annual mean concentrations from XG simulation (background plots) and observed (circles)
 18 values of PM_{2.5}. The mean observation (Mean Obs), mean simulation (Mean Sim), mean fractional error (MFE), and
 19 mean fractional bias (MFB) displayed at lower left corner are the statistic result of averaged 365 grids.


20



21

22 **Figure S4.** Monthly mean simulated CCN concentrations (TOMAS) from XG simulation and satellite-retrieved CCN
 23 concentrations (SAT) from Liu et al., (2020). The mean satellite-retrieved (Mean SAT) CCN concentrations, mean
 24 simulation (Mean TOMAS), mean fractional error (MFE), and mean fractional bias (MFB) displayed at upper centre
 25 are the statistic result of averaged on the simulation grid for corresponding satellite-retrieved CCN geographical
 26 location (in total 667 grids).


27



28


29 **Figure S5.** The scatter plot of AOD compares annual mean model predictions (XG simulation) and observations from
 30 AERONET. The black solid line and dashed line indicate trendline and 1:1 line, respectively.

31

Surface DMS concentrations (XG)

34 **Figure S6.** Seasonal variations of atmospheric surface DMS concentrations estimated by the XG simulation.

Absolute contribution of DMS to SO₂ (XG – ND)




36

37 **Figure S7.** Seasonal variations of absolute changes in surface SO₂ between the XG and ND (no DMS) simulations.


38

(a)





Relative changes (XG – LANA)



Absolute changes (XG – LANA)

**(b)**

Radiative Forcing (XG – LANA)



39

40 **Figure S8.** Panel (a) presents the spatial distributions of annual mean percent changes and absolute changes in surface SO₄²⁻
 41 and CCN, and panel (b) presents the spatial distributions of annual mean all-sky DRF and cloud-albedo IRF between the XG
 42 and LANA simulations.
 43
 44

45 **Table S1.** Training dataset participated in machine learning estimates

Variables	units	Filtering threshold	sources
DMS measurements in China Seas	$\mu\text{mol m}^{-3}$	Remove values < 0.1 and values >100	Local measurements from Ocean University of China (Yang et al., 2015a;Yang et al., 2014;Yang et al., 2015b;Li et al., 2020b;Li et al., 2020a) http://saga.pmel.noaa.gov/dms/ (Kettle et al., 1999;Lana et al., 2011)
DMS measurements from global database	$\mu\text{mol m}^{-3}$	Remove values < 0.1 and values >100	
Salinity	unitless	Remove values < 30 and sampling depth >10m	https://www.ncei.noaa.gov/products/world-ocean-atlas (Garcia et al., 2019)
Sea surface temperature (SST)	°C	-	https://www.ncei.noaa.gov/products/world-ocean-atlas (Garcia et al., 2019)
Dissolved Oxygen (DO)	$\mu\text{mol kg}^{-1}$	Remove values < 0.01	https://www.ncei.noaa.gov/products/world-ocean-atlas (Garcia et al., 2019)
Silicate	$\mu\text{mol kg}^{-1}$	Remove values < 0.01	https://www.ncei.noaa.gov/products/world-ocean-atlas (Garcia et al., 2019)
Phosphate	$\mu\text{mol kg}^{-1}$	Remove values < 0.01	https://www.ncei.noaa.gov/products/world-ocean-atlas (Garcia et al., 2019)
Nitrate	$\mu\text{mol kg}^{-1}$	Remove values < 0.01	https://www.ncei.noaa.gov/products/world-ocean-atlas (Garcia et al., 2019)
Mixed layer depth (MLD)	m	Remove values >150	https://www.pmel.noaa.gov/mimoc/ (Schmidtko et al., 2013)
Chlorophyll concentration (Chl)	mg m^{-3}	Remove values < 0.01	https://oceancolor.gsfc.nasa.gov/l3
Diffuse attenuation coefficient at 490m (kd490)	m^{-1}	-	https://oceancolor.gsfc.nasa.gov/l3
Particulate Inorganic Carbon (PIC)	mg m^{-3}	-	https://oceancolor.gsfc.nasa.gov/l3
Particulate organic Carbon (POC)	mg m^{-3}	-	https://oceancolor.gsfc.nasa.gov/l3
Photosynthetically available Radiation (PAR)	Einstein $\text{m}^{-2} \text{d}^{-1}$	-	https://oceancolor.gsfc.nasa.gov/atbd/par/

46

47 **Table S2.** Comparison of seasonal mean DMS concentrations over Asia region from other studies ($\mu\text{mol m}^{-3}$)

Season	This study	Lana et al. (2011)	Wang et al. (2020)
Winter	1.93	1.78	1.30

Spring	2.52	2.33	2.21
Summer	2.19	2.01	1.81
Fall	2.03	1.87	1.71

48

49 **Table S3.** Comparison of regional mean modelled atmospheric DMS concentrations with observations from Cruise Survey
50 Experiment (CSE) 1-3(Units: pptv).

	CSE 1	CSE 2	CSE 3
OBS	39.74	57.82	217.51
XG	46.42	41.65	334.90
LANA	23.40	36.71	95.94
OBS-XG	6.68	-16.17	117.39
OBS-LANA	-16.34	-21.11	-121.57

51 **Notes:** OBS refer to observations; XG and LANA refer to simulation values; OBS-XG and OBS-LANA refer to differences between
52 observations and simulation values (XG and LANA).

53

54 **Table S4.** Comparison of mean annual CCN predictions from other studies (Units: cm⁻³)

City	Longitude	Latitude	CCN_obs	CCN_sim	Sources
Nanjing	118.7°E	32.06°N	1540.5	919.1	(Liu et al., 2020)
Nanjing	118.7°E	32.21°N	1669.2	994.3	(Liu et al., 2020)
Shanghai	121.29°E	31.18°N	2783.0	983.3	(Liu et al., 2020)
Guangzhou	113.21°E	23.07°N	1299.3	796.9	(Liu et al., 2020)
Shenzhen	114.56°E	22.48°N	1289.0	501.9	(Liu et al., 2020)
Taiwan	121.54°E	25.3°N	1010.5	325.4	(Cheung et al., 2020)
Indo-Gangetic Plain	85.81°E	20.24°N	2250.0	948.7	(Jayachandran et al., 2020)
Indo-Gangetic Plain	82.85°E	25.45°N	1650.0	1432.4	(Jayachandran et al., 2020)
Indo-Gangetic Plain	73.04°E	26.25°N	1375.0	602.2	(Jayachandran et al., 2020)
Eastern Himalaya	88.2°E	27°N	1800.0	1787.7	(Roy et al., 2017)
Central Himalaya	79.5°E	29.4°N	1000.0	1232.0	(Dumka et al., 2015)

Hyderabad	78.38°E	17.45°N	1100.0	1564.2	(Varghese et al., 2016)
Mahabaleshwar	73.4°E	17.6°N	1500.0	670.0	(Leena et al., 2016)

55

56 **Table S5.** Comparison of modelled annual mean DRF and IRF for DMS induced sulfate reported in previous studies.

Annual Mean DRF (W m^{-2})	Annual Mean IRF (W m^{-2})	Model	Sources
-0.23	-0.76	GLOMAP-mode global aerosol microphysics model	(Rap et al., 2013)
-0.074	-0.23	CESM-CAM5	(Yang et al., 2017)
--	-6.55	CESM-CAM5	(Jin et al., 2018)
--	-2.0	ECHAM5-HAMMOZ	(Thomas et al., 2010)
--	-1.79	ECHAM5-HAMMOZ	(Mahajan et al., 2015)

57 **Notes:** -- represents corresponding values that have not reported in their studies.

58

59 **References:**

- 60 Cheung, H. C., Chou, C. C. K., Lee, C. S. L., Kuo, W. C., and Chang, S. C.: Hygroscopic properties and cloud condensation
61 nuclei activity of atmospheric aerosols under the influences of Asian continental outflow and new particle formation at a
62 coastal site in eastern Asia, *Atmos. Chem. Phys.*, 20, 5911-5922, 10.5194/acp-20-5911-2020, 2020.
- 63 Dumka, U. C., Bhattu, D., Tripathi, S. N., Kaskaoutis, D. G., and Madhavan, B. L.: Seasonal inhomogeneity in cloud
64 precursors over Gangetic Himalayan region during GVAX campaign, *Atmospheric Research*, 155, 158-175,
65 <https://doi.org/10.1016/j.atmosres.2014.11.022>, 2015.
- 66 Jayachandran, V. N., Suresh Babu, S. N., Vaishya, A., Gogoi, M. M., Nair, V. S., Satheesh, S. K., and Krishna Moorthy, K.:
67 Altitude profiles of cloud condensation nuclei characteristics across the Indo-Gangetic Plain prior to the onset of the Indian
68 summer monsoon, *Atmos. Chem. Phys.*, 20, 561-576, 10.5194/acp-20-561-2020, 2020.
- 69 Jin, Q., Grandey, B. S., Rothenberg, D., Avramov, A., and Wang, C.: Impacts on cloud radiative effects induced by
70 coexisting aerosols converted from international shipping and maritime DMS emissions, *Atmos. Chem. Phys.*, 18, 16793-
71 16808, 10.5194/acp-18-16793-2018, 2018.
- 72 Kettle, A. J., Andreae, M. O., Amouroux, D., Andreae, T. W., Bates, T. S., Berresheim, H., Bingemer, H., Boniforti, R.,
73 Curran, M. A. J., DiTullio, G. R., Helas, G., Jones, G. B., Keller, M. D., Kiene, R. P., Leck, C., Levasseur, M., Malin, G.,
74 Maspero, M., Matrai, P., McTaggart, A. R., Mihalopoulos, N., Nguyen, B. C., Novo, A., Putaud, J. P., Rapsomanikis, S.,
75 Roberts, G., Schebeske, G., Sharma, S., Simó, R., Staubes, R., Turner, S., and Uher, G.: A global database of sea surface
76 dimethylsulfide (DMS) measurements and a procedure to predict sea surface DMS as a function of latitude, longitude, and
77 month, *Global Biogeochemical Cycles*, 13, 399-444, 10.1029/1999GB900004, 1999.
- 78 Lana, A., Bell, T. G., Simó, R., Vallina, S. M., Ballabrera-Poy, J., Kettle, A. J., Dachs, J., Bopp, L., Saltzman, E. S., Stefels,
79 J., Johnson, J. E., and Liss, P. S.: An updated climatology of surface dimethylsulfide concentrations and emission fluxes in
80 the global ocean, *Global Biogeochemical Cycles*, 25, 10.1029/2010GB003850, 2011.
- 81 Leena, P. P., Pandithurai, G., Anilkumar, V., Murugavel, P., Sonbawne, S. M., and Dani, K. K.: Seasonal variability in
82 aerosol, CCN and their relationship observed at a high altitude site in Western Ghats, *Meteorology and Atmospheric Physics*,
83 128, 143-153, 10.1007/s00703-015-0406-0, 2016.

- 84 Li, S., Sarwar, G., Zhao, J., Zhang, Y., Zhou, S., Chen, Y., Yang, G., and Saiz-Lopez, A.: Modeling the Impact of Marine
85 DMS Emissions on Summertime Air Quality Over the Coastal East China Seas, *Earth and Space Science*, 7,
86 e2020EA001220, <https://doi.org/10.1029/2020EA001220>, 2020a.
- 87 Li, S., Zhang, Y., Zhao, J., Sarwar, G., Zhou, S., Chen, Y., Yang, G., and Saiz-Lopez, A.: Regional and Urban-Scale
88 Environmental Influences of Oceanic DMS Emissions over Coastal China Seas, *Atmosphere*, 11, 10.3390/atmos11080849,
89 2020b.
- 90 Liu, C., Wang, T., Rosenfeld, D., Zhu, Y., Yue, Z., Yu, X., Xie, X., Li, S., Zhuang, B., Cheng, T., and Niu, S.:
91 Anthropogenic Effects on Cloud Condensation Nuclei Distribution and Rain Initiation in East Asia, *Geophysical Research
Letters*, 47, e2019GL086184, <https://doi.org/10.1029/2019GL086184>, 2020.
- 92 Mahajan, A. S., Fadnavis, S., Thomas, M. A., Pozzoli, L., Gupta, S., Royer, S.-J., Saiz-Lopez, A., and Simó, R.: Quantifying
93 the impacts of an updated global dimethyl sulfide climatology on cloud microphysics and aerosol radiative forcing, *Journal
94 of Geophysical Research: Atmospheres*, 120, 2524-2536, <https://doi.org/10.1002/2014JD022687>, 2015.
- 95 Rap, A., Scott, C. E., Spracklen, D. V., Bellouin, N., Forster, P. M., Carslaw, K. S., Schmidt, A., and Mann, G.: Natural
96 aerosol direct and indirect radiative effects, *Geophysical Research Letters*, 40, 3297-3301, <https://doi.org/10.1002/grl.50441>,
97 2013.
- 98 Roy, A., Chatterjee, A., Sarkar, C., Das, S. K., Ghosh, S. K., and Raha, S.: A study on aerosol-cloud condensation nuclei
99 (CCN) activation over eastern Himalaya in India, *Atmospheric Research*, 189, 69-81,
100 <https://doi.org/10.1016/j.atmosres.2017.01.015>, 2017.
- 101 Schmidtko, S., Johnson, G. C., and Lyman, J. M.: MIMOC: A global monthly isopycnal upper-ocean climatology with
102 mixed layers, *Journal of Geophysical Research: Oceans*, 118, 1658-1672, <https://doi.org/10.1002/jgrc.20122>, 2013.
- 103 Thomas, M. A., Suntharalingam, P., Pozzoli, L., Rast, S., Devasthale, A., Kloster, S., Feichter, J., and Lenton, T. M.:
104 Quantification of DMS aerosol-cloud-climate interactions using the ECHAM5-HAMMOZ model in a current climate
105 scenario, *Atmos. Chem. Phys.*, 10, 7425-7438, 10.5194/acp-10-7425-2010, 2010.
- 106 Varghese, M., Prabha, T. V., Malap, N., Resmi, E. A., Murugavel, P., Safai, P. D., Axisa, D., Pandithurai, G., and Dani, K.:
107 Airborne and ground based CCN spectral characteristics: Inferences from CAIPEEX – 2011, *Atmospheric Environment*, 125,
108 324-336, <https://doi.org/10.1016/j.atmosenv.2015.06.041>, 2016.
- 109 Wang, W. L., Song, G., Primeau, F., Saltzman, E. S., Bell, T. G., and Moore, J. K.: Global ocean dimethyl sulfide
110 climatology estimated from observations and an artificial neural network, *Biogeosciences*, 17, 5335-5354, 10.5194/bg-17-
111 5335-2020, 2020.
- 112 Yang, G.-P., Song, Y.-Z., Zhang, H.-H., Li, C.-X., and Wu, G.-W.: Seasonal variation and biogeochemical cycling of
113 dimethylsulfide (DMS) and dimethylsulfoniopropionate (DMSP) in the Yellow Sea and Bohai Sea, *Journal of Geophysical
114 Research: Oceans*, 119, 8897-8915, <https://doi.org/10.1002/2014JC010373>, 2014.
- 115 Yang, G.-P., Zhang, S.-H., Zhang, H.-H., Yang, J., and Liu, C.-Y.: Distribution of biogenic sulfur in the Bohai Sea and
116 northern Yellow Sea and its contribution to atmospheric sulfate aerosol in the late fall, *Marine Chemistry*, 169, 23-32,
117 <https://doi.org/10.1016/j.marchem.2014.12.008>, 2015a.
- 118 Yang, J., Yang, G., Zhang, H., and Zhang, S.: Spatial distribution of dimethylsulfide and dimethylsulfoniopropionate in the
119 Yellow Sea and Bohai Sea during summer, *Chinese Journal of Oceanology and Limnology*, 33, 1020-1038, 10.1007/s00343-
120 015-4188-5, 2015b.
- 121 Yang, Y., Wang, H., Smith, S. J., Easter, R., Ma, P. L., Qian, Y., Yu, H., Li, C., and Rasch, P. J.: Global source attribution of
122 sulfate concentration and direct and indirect radiative forcing, *Atmos. Chem. Phys.*, 17, 8903-8922, 10.5194/acp-17-8903-
123 2017, 2017.
- 124
- 125