

Responses to Referee 1

This is an interesting paper that presents important data and should be published. I have a number of suggestions for improvement, however. Most of my comments are minor.

Thank you very much for your significant and useful comments on the paper “Measurement report: Method for evaluating CO₂ emissions from a cement plant using atmosphere $\delta(O_2/N_2)$ and CO₂ measurements and its implication for future detection of CO₂ capture signals” by Ishidoya et al. We have revised the manuscript, considering your comments and suggestions. Details of our revision are as follows. The line numbers denote those of the revised manuscript.

Don't think you need “Measurement report” in the title

We understand your suggestion, however, I wrote the phrase following the Editor's comment.

The title doesn't sound quite right to me. I think “by atmosphere O₂/N₂ and CO₂ measurements” should be “using atmosphere O₂/N₂ and CO₂ measurements”

Title: We have modified the title, as suggested.

The O₂/N₂ and CO₂ are referred to as “amount fractions”, I think it should be either “mole fractions” or “molar fractions”.

We recognize “mole fractions” you suggested is more familiar with our research field, however, I have used the phrase following the Editor's comment.

In some places you use “analyses” and I think it should be “analysis”. If you're referring to one study, you use the word “analysis.” But when you're referring to multiple studies, you use the term “analyses.” Also, you use “analyzed” and I think this should be “analysed”.

We have changed “analyses” to “analysis” and “analyzed” to “analysed” throughout the paper, following your comments.

Need to be careful when using the words “significantly” & “significant” as this usually implies some sort of statistical test with a p-value. In some places maybe change it to “substantially”

We have changed “significantly/significant” to “substantially” at some places, as suggested.

Lines 16-18: “The simulated CO₂ amount fractions were converted to O₂ amount fractions by using the respective OR values for each of the incorporated CO₂ fluxes, and then simulated OR values were calculated from the calculated O₂ and CO₂ amount fractions.” Rephrase this sentence as it is difficult to follow, it sounds like you used OR values to calculate O₂ and then used O₂ to calculate OR values

Lines 16-18: The sentences have been rewritten as “The simulated CO₂ amount fractions were converted to O₂ amount fractions by using the respective ER values of 1.1, 1.4, and 0 for the terrestrial biospheric activities, fossil fuel combustion, and cement production. Thus obtained O₂ and CO₂ amount fractions changes were used to derive simulated ER for comparison with the observed ER.”.

Line 30: Should probably also include here reference for Pickers et al., 2022, Science Advances

Lines 31-32: We cited Pickers et al. (2022) here, as suggested.

Lines 32-34: These ratios are typically very stable/ tend not to vary very much. The analysis you do later on is only possible because these ratios are so reliable so need to say so somewhere. Also, mention here that 1.4 is global average for fossil fuels, as you use the 1.4 ratio later on.

Lines 37-38: The sentence “The ERs are typically very stable, and the global average ER for fossil fuels is about 1.4 (e.g. Keeling and Manning, 2014)” has been added, considering your suggestion.

Lines 34-36: “Therefore, atmospheric O₂ and CO₂ fluxes due to terrestrial biospheric activities and fossil fuel combustion (excluding cement production) vary in opposite phase.” This sentence needs to be reworded, as respiration in the terrestrial biosphere takes in O₂ and releases CO₂ which is the same phase as fossil fuel combustion.

Lines 34-36: The sentence has been rewritten as “Therefore, atmospheric O₂ amount fraction varies in opposite phase with CO₂ amount fraction, owing to terrestrial biospheric activities and fossil fuel combustion” to avoid confusion.

Line 39: There is a full stop at the end of the equation which I don't think should be there.

Lines 40: Since our past paper published in ACP, there are some cases we used a full stop at the end of the equation. So, we leave it as it is, but we will revise it if the editorial support team also instructs us to change the format.

Line 43: I think “global fossil CO₂ emissions” should be changed to “global fossil fuel CO₂ emissions”.

Lines 44: The words “global fossil CO₂ emissions” has been changed to “global fossil fuel CO₂ emissions”, as suggested.

Line 70: It says that you have been continuously making measurements since 2017. That implies that the measurements are still ongoing. But if that is the case, why are you only using measurements until 19th November 2018? If you have more data for 2019 to 2022 you should include this, as at the

moment you only have 16 months of measurements, and more measurements to base the conclusions on would make the study better.

As you pointed out, the measurements are still ongoing now. However, we consider the data presented in this paper are enough to discuss an effect of cement production. Also, due to our manpower constraint, we cannot calculate the atmospheric CO₂ amount fraction using the fine-scale 3-D atmospheric transport model (AIST-MM) longer time period than the seven months presented in the revised manuscript. Therefore, we leave the observational data period as they are in the revised manuscript.

Methods: In the first paragraph of the methods section, say that the measurement site is on the coast.

Lines 72-73: The words has been modified as “Atmospheric $\delta(\text{O}_2/\text{N}_2)$ and CO₂ amount fractions have been observed continuously at a coastal station Ryori (RYO: 39° 2' N, 141° 49' E, 260 m a.s.l.; Fig. 1)....”, to say that the measurement site is on the coast.

Line 86: 1/0.2094 is 4.78 to 2 decimal places and 4.8 to 1 decimal place. I’m not expecting you to change it for this article, because it will make a tiny difference, but in the future, you may want to think about whether you really want to round it to 1 decimal place. I think lots of studies instead of dividing by 4.8, will multiply by 0.2094. This is a wider problem within the O₂ community, but we should probably try and have O₂ datasets produced using the same method, so different groups can be compared.

Lines 90-91: We understand your concern. In this study, we converted changes in $\delta(\text{O}_2/\text{N}_2)$ to those in O₂ amount fraction by multiplying by 0.2094 in actual. So, we have rewritten the sentence as “Therefore, observed relative changes in $\delta(\text{O}_2/\text{N}_2)$ were converted to those in O₂ amount fraction by multiplying by 0.2094 $\mu\text{mol mol}^{-1}$ (per meg)⁻¹”.

Line 96: Should probably say something like, “gaps in the data due to routine calibrations, maintenance and technical issues”. I can see from Figure 2 that there is a gap at the end of August/beginning of September 2017. Might also want to say that there are X number of data points or what percentage of the time period has data.

Lines 109-111: The sentences “It should be noted that gaps in the data seen at the end of August to beginning of September 2017 are due to maintenance and technical issues other than routine calibrations described above. The number of $\delta(\text{O}_2/\text{N}_2)$ (and CO₂ amount fraction) data points shown in Fig. 2 is 9221” have been added, as suggested.

Line 97: I think you need more detail about the measurement system, instead to referring the readers to another article. Add in a sentence or two summarizing the measurement system. Then you can say “for more information see Ishidoya et al. (2017)”.

Lines 92-108: We have added some sentences to describe the measurement procedures in more detail, as suggested.

Line 108: You talk about the CO₂ calibration scale but not the O₂ scale. In Figure 2 the O₂ data is 0 to -300 per meg so you can't be using the Scripps scale. Need to add information about the O₂ calibration scale.

Lines 92-95: The sentences have been added to add information about the O₂ calibration scale as “In this study, $\delta(\text{O}_2/\text{N}_2)$ of each air sample was measured with a paramagnetic analyzer using high- and low-span standard air of which $\delta(\text{O}_2/\text{N}_2)$ had been measured against our primary standard air (Cylinder No. CRC00045; AIST-scale) using a mass spectrometer (Thermo Scientific Delta-V) (Ishidoya and Murayama, 2014). The scale based on the primary standard air is our original scale, called as “EMRI/AIST scale” in Aoki et al. (2021)”.

Line 120: Should probably explain what “clinker” is.

Lines 135-137: To explain what “clinker” is, the sentences have been rewritten as “The CO₂ emissions from the cement plant were estimated from the clinker production capacity of the Ofunato plant in 2018 (Japan Cement Association 2020). The clinker is a solid material produced in the cement manufacture as an intermediary product of Portland cement, mainly consisting of CaO, SiO₂, Al₂O₃ and Fe₂O₃”.

Results and discussion: There is only just over 1 year of measurements so need to be careful about the wording when talking about the seasonal cycle. In order to properly investigate seasonal cycles at least a few years of data are needed. So try rephrasing to something like "over one year of measurements CO showed a seasonal cycle with" or “in 2017/2018 the seasonal cycle was”, etc.

Lines 189-191: The sentence has been modified as “Over one year of measurements CO amount fractions also showed a seasonal cycle with a summertime minimum that is attributed to the air mass around Japan: in winter the air mass is of continental origin and in summer it is of maritime origin”, following your suggestion.

Lines 132-135: It says that O₂ exchange is faster than CO₂ but I'd actually put the timescales in here, O₂ is about a month and CO₂ is about a year.

Lines 180-183: The sentence has been modified as “In contrast, the atmospheric O₂ variation ($\mu\text{mol mol}^{-1}$) due to the air–sea exchange of O₂ is much larger than that of CO₂ on timescales shorter than 1

year because of the difference in their equilibration times between the atmosphere and the surface ocean: the equilibration time for O₂ is about a month and CO₂ is about a year because of the carbonate dissociation effect on the air–sea exchange of CO₂ (Keeling et al., 1993)”, following your suggestion.

Line 145: Change “1-week average” to “1-week rolling average”.

Line 193: The words “1-week average” have been changed to “1-week rolling average”.

Line 153: I think you need to explain more clearly what the ratios tell you. 1.05 to 2.00 indicates terrestrial or fossil fuel. Anything lower than this indicates cement as the 0 ratio mixes with the surrounding air that has already been influenced by terrestrial or fossil fuels pulling down the ratio.

Lines 192-209: Considering your comments and another referee’s comments, we have expanded the discussion by adding new figures (Fig. 3b, c). Please confirm the revised manuscript.

Lines 157-160: Why did this study choose these particular 5 months to focus on? Does this mean that not every month has evidence of cement production, or these were the months where the evidence was largest? And if so why do you think this is, there was less cement production taking place at the plant then, or air was coming from the direction of the plant less often?

Every month has evidence of cement production, so that we have recognized that we should carry out calculations by the AIST-MM throughout the observation period. In the revised manuscript, we have added the calculations for January and April 2018. However, due to our manpower constraint, we cannot calculate longer time period than the 7 months.

Lines 157-159: “In October 2017, short-term variations in observed CO₂ and $\delta(\text{O}_2/\text{N}_2)$ were opposite in phase, and the amplitudes of some CO₂ variations were larger than those of the corresponding $\delta(\text{O}_2/\text{N}_2)$ variations. This result suggests an effect of cement production.” I think these two sentences don’t join together properly. CO₂ & O₂/N₂ opposite in phase doesn’t suggest cement production, CO₂ increasing and O₂/N₂ staying the same would suggest cement production.

Lines 222-226: The sentences have been rewritten to make the meaning clearer as “In October 2017, short-term variations in observed CO₂ and $\delta(\text{O}_2/\text{N}_2)$ were opposite in phase, and the amplitudes (in $\mu\text{mol mol}^{-1}$) of some CO₂ variations were larger than those of the corresponding $\delta(\text{O}_2/\text{N}_2)$ variations (Fig. 5). If the short-term variations driven by terrestrial biospheric activities and the consumption of gas, liquid, and solid fuels, then the amplitudes of CO₂ should be smaller than those of the $\delta(\text{O}_2/\text{N}_2)$. Therefore, this result suggests an effect of cement production superimposes on fossil fuel combustion and/or terrestrial biospheric activities”.

Line 168: Change “land biospheric” to “terrestrial biospheric” as that is what you have used everywhere else.

Line 230: The words “land biospheric” have been changed to “terrestrial biospheric”, as suggested.

Lines 191-192: Used “however” twice in two sentences.

Lines 164-168: We have modified the sentences to use “however” only one time.

Line 208: Change “This means CO₂ presumably as well” to “This means CO₂ is presumably released as well”.

Line 247: The words “This means CO₂ presumably as well” have been changed to “This means CO₂ is presumably released as well”, as you pointed out.

Line 213: “CO₂cement”.

Line 252: The word “CO₂cement” has been changed to “ $\gamma(\text{CO}_2, \text{cement})$ ”.

Summary: Articles usually include something about “next steps”, how the research could be developed in the future.

Also say something about the limitations of the study. Although the limitations can go in the results and discussion section if you think it will fit better there

Lines 319-325: Following sentences have been added to show limitations of the study and suggest next step. “As a remaining topic, we point out the fact that detail variations in the CO₂ amount fraction were not reproduced by the AIST-MM enough. This is due to insufficiency of spatial resolution of the AIST-MM at least partly, to reproduce air transport from a point source such as the cement plant in the present study. Therefore, as a next step, we should use higher-resolution atmospheric transport model to improve an agreement between the observed and simulated CO₂ amount fractions. It is also needed to develop more accurate method to extract $\gamma(\text{CO}_2^*)$ due only to cement production especially for the period air-sea O₂ flux is substantial. Such improvement will make it possible to estimate amounts of CO₂ capture and/or CO₂ leak around the observation site from an inversion analysis using the higher-resolution atmospheric transport model”.

Line 284: In the acknowledgments change “observation” to “observations”.

Line 359: The word “observation” has been changed to “observations”, as suggested.

Lots of Figures: Figure 4 and Figure 5 are actually 5 figures each, (a-e) for each of the months. I think this is probably too many figures. Could you try combining them in some way, or choose an example month and move the others to the supplement.

We have chosen an example month and moved the others to the supplement, following your comments.

In Figure 2 and the top panels of the Figure 4's CO₂ is in units of $\mu\text{mol mol}^{-1}$. Isn't this just ppm units, that is what most people are more familiar with?

We recognize "ppm" you suggested is more familiar with our research field, however, I have used the unit following the Editor's comment.

Figure 2 Caption: Change "1-week average" to "1-week rolling average"

Figure 2 Caption: The words "1-week average" have been changed to "1-week rolling average".

Figure 2 Caption: Add something about how the CO₂ & O₂ y-axes are scaled to be visually comparable or the O₂ y-axis is 5 times larger than the CO₂ y-axis or something like that.

Figure 2 Caption: The sentence " $\delta(\text{O}_2/\text{N}_2)$ and CO₂ y-axes are scaled to be visually comparable" has been added, as suggested.

Figure 2: Could you add another panel for the Oxidative Ratio. I know we can see it for some of the individual months but I'm curious to see it for the whole time period.

Figure 3(b): The figure to show the Oxidative Ratio for the whole period has been added as Fig 3b.

The supplement doesn't include any of the model output or the CO measurements.

The CO amount fraction data can be found at the WDCGG. Model outputs of CO₂ amount fraction have been added to the supplement.

Responses to Referee 2

The objective of this paper is to examine if it is possible to detect a CO₂ signal at a measurement station that is coming from a cement plant 6 km away, and to extract this specific atmospheric signal using continuous O₂ and CO₂ measurements. It is important to have the ability to distinguish between different contributors to the atmospheric signal of CO₂, which gives the opportunity to study different carbon sources and sinks separately and verify CO₂ emissions. This paper studies the short term relationship between O₂ and CO₂ and their resulting OR to detect a signal from the cement plant. The low OR signals that originate from air with a high CO concentration show that indeed a CO₂ signal of the cement plant at this measurement location can be detected. By subtracting the CO₂ signals of fossil fuel combustion and the biosphere from the total atmospheric CO₂ signal, based on their combined OR signals, the variations in the CO₂ signal caused by only the cement plant were shown with both the measurements and a regional atmospheric transport model. These results show the ability to use the relationship between O₂ and CO₂ to validate CO₂ fluxes from a cement plant in a transport model and to use O₂ as an indicator of possible leakages of carbon capture and storage locations.

This paper shows interesting and innovative results on how O₂ can be used in this context and to validate models. This work is very relevant, as studies using atmospheric O₂ are scarce and therefore there is much to be learned about this tracer. This study builds on previous work by e.g. Keeling et al. (2011), van Leeuwen and Meijer (2015) and Pak et al. (2016) and gets a step closer to understanding how the ratio between O₂ and CO₂ could be used to detect leakages from carbon capture storage locations. This is done by combining data with models, which has not often been done before with atmospheric O₂. I therefore find this study of importance and would recommend it for publication, taking into account the comments below. These are mainly focussed on clarification of the results, figures and the assumptions that are made in the paper.

Thank you very much for your significant and useful comments on the paper “Measurement report: Method for evaluating CO₂ emissions from a cement plant using atmosphere $\delta(\text{O}_2/\text{N}_2)$ and CO₂ measurements and its implication for future detection of CO₂ capture signals” by Ishidoya et al. We have revised the manuscript, considering your comments and suggestions. Details of our revision are as follows. The line numbers denote those of the revised manuscript.

Major comments:

In line 31 the term exchange ratio (ER) is introduced as oxidative ratio (OR). However, OR is not correctly in all contexts used in the manuscript, as for example it does not apply to photosynthesis as O₂ is produced there. I would recommend using ER instead. Note that there are several terms in use in the O₂ community that all indicate the link between CO₂ and O₂ but on a different scale/process (e.g. ER, OR, alpha_B, ARQ).

The word “oxidative ratio” and “OR” have been changed to “exchange ratio” and “ER”, respectively, throughout the paper, following your suggestion.

Furthermore, I would recommend to add further clarification about combining OR signals of different processes where the flux sign of O₂ and CO₂ are opposite. For example, in line 150 it is stated that a lower ER than 1.1 is observed and therefore shows an influence of the cement plant (which as an OR of 0). As this is probably the case, because the CO concentration is also high with these lower OR signals, I still think it is important to discuss what could happen when fluxes with different ER mix and that a ER lower than 1.1 does not directly indicate that a process is contributing with an ER lower than 1.1. When for example air from the biosphere (depleted in CO₂, high in O₂ and ER of 1.1) mixes with air that is mainly influenced by fossil fuel (high in CO₂, depleted in O₂ and ER around 1.4) you do not necessarily get an averaged ER of $(1.1 + 1.4)/2 = 1.25$ or necessarily between 1.1 and 1.4. With a large photosynthesis signal the ER could potentially even become lower than 1.1, whereas with a large fossil fuel signal, the ER would more likely be in between 1.1 and 1.4.

Lines 196-209, Fig. 3b, c: The sentences and figures have been added to discuss about combining OR signals of different processes. The sentences are as follows.

“We also plotted the ER values calculated by least-squares fitting of regression lines to the observed $\Delta\gamma(\text{O}_2)$ and $\Delta\gamma(\text{CO}_2)$ values during successive 24-h periods in Fig. 3b. As seen in the figure, both ER values higher and lower than 1.1 were observed throughout the observation periods. When terrestrial biosphere emits CO₂ to the atmosphere, i.e. respiration signal is larger than photosynthesis signal, the ER values ranging from 1.05 to 2.00 are expected from combination fluxes of terrestrial biospheric activities, gas, liquid, and solid fuels combustion. Similar ER values have been observed at other Japanese sites (e.g. Minejima et al., 2012; Goto et al., 2013; Ishidoya et al., 2020).

On the other hand, when photosynthesis signal is larger than respiration signal, ER for the combination fluxes could be variable and potentially even become lower than 1.05. However, we consider the observed low ER values are attributed to substantial CO₂ flux from cement production, of which ER value is 0, rather than the photosynthesis signal because the low ER values and high $\Delta\gamma(\text{CO})$ appeared simultaneously. These characteristics can be seen from the typical ER and $\Delta\gamma(\text{CO})$ in August 2018 plotted in Fig. 3c. Therefore, it is considered that the ER lower than 1.05 indicates CO₂ flux from cement production mixes with the surrounding air that has already been influenced by terrestrial biospheric activities or fossil fuels combustion. Similar characteristic relationships have previously been observed only in artificial CO₂ release experiments of which ER value is 0, such as those described by van Leeuwen and Meijer (2015) and Pak et al. (2016).”

Another point in the text where this applies is equation 4, where $\alpha_{\text{B+F}}$ is indeed an ER of the atmosphere without cement production (line 186), but not as the term seems to indicate an average of

the ER of the biosphere and fossil fuel.

Lines 161-163 and Lines 233-235: The α_{B+F} is not an average of the ER of the biosphere and fossil fuel, but monthly average ER values calculated from the simulated O₂ and CO₂ values without considering the contribution of cement production. Therefore, we have modified the sentences as follows. “For α_{B+F} values, we use monthly average ER values calculated from the simulated O₂ and CO₂ values without considering the contribution of cement production (black dotted line in Fig. 5, bottom, discussed below)” and “Both the observed ER values and those simulated are frequently lower than 1.1, while the ER values simulated without including cement production show lower values than 1.1 occasionally (Fig. 5 and Fig. A1a-f in Appendix A)”.

In line 172 it is also not clear to me how the authors converted. From the text it seems that the atmospheric mole fractions of CO₂ are converted to O₂ with the ER. However, these relationship between CO₂ and O₂ are for the surface fluxes. Could you please specify how the ER based on the surface fluxes or process level could relate directly to the atmospheric mole fractions?

Lines 147-149: The sentences have been rewritten as follows to make the meaning clearer. “For this purpose, O₂ amount fractions are calculated by summing up the respective contributions of CO₂ amount fractions for fossil fuel combustion, terrestrial biospheric activities, and cement production multiplied by the -ER values of -1.4, -1.1, and 0. Here the 1.4 and 1.1 are typical ER for fossil fuel combustion and terrestrial biospheric activities, respectively”.

Overall, I do not think something is necessarily wrong in the method, but the formulation could be more precise and a discussion about mixing different atmospheric ER signals could possibly be added. A validation of the atmospheric transport model and with that the input of the fluxes, together with a validation of the data itself is currently missing. For example, in line 234 it is stated that the complex topography can influence the model results in this area for February 2018. It is not clear why this is only the case in this month, and it would be good to see further details and validation.

We have found a mistake in the analysis of the $y(\text{CO}_2^*)$ in February 2018. In the revised manuscript, discrepancy between the monthly means of $y(\text{CO}_2^*)$ anomalies and $y(\text{CO}_2, \text{cement})$ is not so serious, so that we have removed the sentence you pointed out.

In line 162-165 it is stated that the observed and modelled CO₂ amount fractions showed weak correlation and that the general characteristics are observed but not the phase and the amplitude. This is not visible in Figure 4. Could you please elaborate more on this? Maybe by showing a graph that shows the relationship between CO₂ modelled and observed?

Lines 212-221 and Fig. 4: Following sentences have been added to discuss validity of the atmospheric transport model. “Figure 4a shows monthly average of hourly CO₂ amount fraction is slightly

overestimated at night and underestimated in the daytime except for February, however, absolute value of the difference is less than $2 \mu\text{mol mol}^{-1}$ in most case. Figure 4b is a scatter plot of the difference from $391.14 \mu\text{mol mol}^{-1}$ (the minimum concentration of observed CO_2 in the 7-months) between calculated and observed concentration for all the hourly data in the seven months. FAC2 (fraction of calculations within a factor 2 of observations) is 0.976, where model acceptance criterion of FAC2 is greater than 0.5 (Hanna and Chang, 2012), and Pearson's correlation coefficient is 0.69. The discrepancies between observed and simulated values can be attributed to the limited resolution of the model in the complex terrain, or to problems in the parameterization of transport processes, or in the CO_2 sources/sinks incorporated into the AIST-MM".

In line 210-215, it is stated that $y(\text{CO}_2^*)$ could be used to validate this transport model. However, I miss here a discussion/validation how accurate $y(\text{CO}_2^*)$ is before it could be used to validate the model. Is there a way to validate how accurate the O₂ method is to extracting the cement signal from the CO_2 atmospheric signal? This would help strengthen the argument that this O₂ based methods works well to capture such a signal.

Lines 270-281, 338-341 and Fig. A3: We consider it is difficult to validate the O₂ method itself directly. Instead, we have expanded the discussion about a comparison between the observed $y(\text{CO}_2^*)$ anomalies and simulated $y(\text{CO}_2, \text{cement})$ as follows. "We have also confirmed monthly mean $y(\text{CO}_2, \text{cement})$ values were related to the occurrence of northwesterly winds (i.e. wind blowing from the cement plant). However, the average wind direction simulated by the AIST-MM when high $y(\text{CO}_2, \text{cement})$ values appeared (around 300°) was slightly but systematically different from that for observed wind direction (around 270°) (Fig. A3a and A3b in Appendix A). This discrepancy is probably due to the underestimation of the altitude of Ryori ridge which locates between the cement plant and the RYO site. Such the underestimation makes it easy to transport the CO_2 emitted from the cement plant directly to RYO over the ridge since the cement plant is located around 300° from the RYO site. This is also consistent with the fact that the larger monthly mean $y(\text{CO}_2, \text{cement})$ than the monthly mean $y(\text{CO}_2^*)$ anomalies are found in January and February when prevailing wind direction is northwesterly. The complex terrain around RYO such as Ryori ridge would also contributes to the discrepancy between the monthly mean $y(\text{CO}_2^*)$ anomaly and $y(\text{CO}_2, \text{cement})$ in May and August at least partly. In May, it is considered that an effect of the oceanic O₂ flux on $y(\text{CO}_2^*)$ anomaly is also substantial, since we can distinguish short-term variations in $\delta(\text{O}_2/\text{N}_2)$ without simultaneous changes in CO_2 amount fraction (Fig. A1e)."

Something that was not clear for me, was why a baseline was subtracted from $y(\text{CO}_2^*)$? Was this done to exclude the effect of the ocean? If so, does this mean that the ocean signal was already excluded in equation 4 (to calculate $y(\text{CO}_2^*)$) by using the Δ values of CO_2 and O_2 ? If this was not the case, does this mean that the results of $\Delta y(\text{O}_2)$ and $\Delta y(\text{CO}_2)$ are still affected by the ocean and that for example

Figure 3 should be interpreted more carefully as in line 222 it is given that ocean exchange can significantly influence the observations? Could you please elaborate on this and indicate more precisely why for both $y(\text{CO}_2^*)$ and $\Delta y(\text{CO}_2)$ a baseline is subtracted? And add further discussion on the influence of the ocean exchange on the results?

Equation 4 and Fig. 6: We have removed “ Δ ” from eq. 4 to avoid confusion, considering your comments. In this regard, we use Δ in Fig. 6, as the meaning shown in the caption: “Variations in $\Delta y(\text{CO}_2^*)$ calculated from the observed CO_2 amount fractions and $\delta(\text{O}_2/\text{N}_2)$ (black filled circles) in October 2017, and the baseline variation (blue solid line). Δ denotes deviations from their monthly mean values.”

The terms $Dy(\text{O}_2)$ and $Dy(\text{CO}_2)$ and $y(\text{CO}_2^*)$ are not clear, and especially the ‘y’ is not clearly explained and this can lead to confusion for the reader. I would recommend not using these terms and changing this throughout the manuscript, as it makes the paper more difficult to read very quickly or to interpret the figures on their own. Also, the definition used now does not always seem consistent, as e.g. in Figure 4 the top and middle panels y-axis are both $y(\text{CO}_2)$, but these do not have the same units. Maybe the current abbreviations that indicate the different kind of CO_2 signals could be changed into abbreviations that are more distinguishable. For example, the CO_2 ,cement is more clear

We understand your suggestion, however, I have used the “y” following the Editor’s comment. At lines 157-158, we describe the meaning of y as “Here, y stands for the dry amount fraction of gas, as recommended by the IUPAC Green Book (Cohen et al., 2007)”. The middle panel y-axis in Fig. 5 (Fig. 4 in ACPD) has been changed to $\Delta y(\text{CO}_2)$, considering your comments.

There are quite some subplots in each figure and not every subplot is indicated with a letter or legend. This makes reading the figures confusing. Next to that, the amount of subfigures for each month makes it difficult to see all the details. For example, the statements in lines 157 and 193 are difficult to see in the figures. I also think the monthly figures do not contribute to the story. I would recommend moving part of Figure 4 and 5 in the appendix and only focus on one month to make your conclusions from them more clear.

We have chosen an example month and moved the others to the supplement and added needed legends to all the figures, following your suggestion.

Minor comments:

Title: the title of this paper could be improved. I do not think this paper is a measurement report, but rather a new method to detect cement signals. Also, the authors do not apply this method to detect carbon capture signals. It would be good to remove these points from the title and focus it in the core of the paper which is detecting cement signal.

We understand your suggestion, however, I wrote the phrase “measurement report” following the Editor’s comment. Therefore, we have revised the title considering your suggestion as follows: “Measurement report: Method for evaluating CO₂ emissions from a cement plant using atmospheric $\delta(\text{O}_2/\text{N}_2)$ and CO₂ measurements and its implication for future detection of CO₂ capture signals”.

Line 10: I would recommend using $\delta(\text{O}_2/\text{N}_2)$ instead of O₂/N₂ ratios (throughout the manuscript). The words O₂/N₂ ratio have been changed to $\delta(\text{O}_2/\text{N}_2)$ throughout the paper, as suggested.

Line 14: please change ‘amount fraction’ to mole fraction (throughout the text).

We recognize “mole fraction” you suggested are more familiar with our research field, however, I have used the phrase following the Editor’s comment.

Line 43: Friedlingstein et al. (2020) should be updated to Friedlingstein et al. (2022).

Line 44: “Friedlingstein et al. (2020)” has been updated to “Friedlingstein et al. (2022)”, as suggested.

Line 43-44: The value given for the contribution of cement to the global fossil fuel CO₂ emission (4%), is not correct, and is 2% for the recent decade. Also, this value is not based on atmospheric O₂/N₂ ratios as suggested in the text by the reference to Manning and Keeling, 2006.

Line 44: “about 4 % of...” has been changed to “about 2 % of...”, as you pointed out. The words “...and this value is included in global CO₂ budget analyses based on the atmospheric O₂/N₂ ratio (e.g. Manning and Keeling, 2006)” have been deleted to avoid confusion.

Line 52: ‘Leeuwen and Meijer’ should be ‘van Leeuwen and Meijer’.

Line 53: “Leeuwen and Meijer” has been changed to “van Leeuwen and Meijer”.

Line 70: Please specify at what height the measurements were taken and what the surface below the measurement tower consists of, and include references to previous work of the O₂ measurements done here, including e.g. the precision and accuracy of the measurements etc.

Line 73 and 95, lines 92-111: The altitude of the RYO is 260 m a.s.l. (line 73). Sample air was taken at the tower heights of 20 m using a diaphragm pump (line 95). The sentences to describe the details of the O₂ measurements have been added (lines 92-111).

Methods section: Some details were missing in the methods, but were eventually discussed in the results. For example: the methods to determine if a cement signal was seen in the data and how the cement signal was extracted from the model/data (lines 179-199 and equations 4 and 5). Please move this to the methods.

Lines 152-174: The sentences and equations you pointed out have been modified and moved to methods section.

Line 96: How was the reproducibility of 5 per meg determined? Please specify.

Lines 106-108: The sentence has been modified to describe how we determined the reproducibility as “The analytical reproducibility of the $\delta(\text{O}_2/\text{N}_2)$ and CO_2 amount fraction measurements by the system was determined by repeated measurements of standard gas and found to be about 5 per meg and $0.06 \mu\text{mol mol}^{-1}$, respectively, for 2-minute-average values”.

Please include which WMO scale was used (X2019?)?.

Line 114: The words “WMO scale” have been changed to “the WMO scale (X2007)”.

Line 111: Can you include the domain in figure 1?.

Figure 1: The inner and outer domains have been included in the figure.

Line 145: Why did you choose for 1-week to subtract from the measurements? How did you determine this specific time frame?

Lines 192-194: The period is not necessarily to be 1-week, but it should be longer than short-term variations due to local effects of cement production. We have modified the sentences as follows to make the meaning clearer. “In this study, we focused on the short-term variations in $\delta(\text{O}_2/\text{N}_2)$ and the CO_2 and CO amount fractions (Fig. 2) to extract local effects of cement production. Therefore, we subtracted 1-week rolling average values of $\delta(\text{O}_2/\text{N}_2)$ and the CO_2 and CO amount fractions from the observed values to exclude their baseline variations...”.

Line 145-149: It is not clear to me how the authors reached this conclusion. How many points were used to determine the OR signals that could be seen in Figure 3? Are these lines based on only 2 values? Could you please specify this?

Lines 193-201, Fig. 3a, b: The sentences have been rewritten as follows to make the meaning clearer. “Therefore, we subtracted 1-week rolling average values of $\delta(\text{O}_2/\text{N}_2)$ and the CO_2 and CO amount fractions from the observed values to exclude their baseline variations, and examined the relationships among the residuals ($\Delta y(\text{O}_2)$, $\Delta y(\text{CO}_2)$, and $\Delta y(\text{CO})$; Fig. 3a). Here, $\Delta y(\text{O}_2)$ is the equivalent value in $\mu\text{mol mol}^{-1}$ converted from $\delta(\text{O}_2/\text{N}_2)$. We also plotted the ER values calculated by least-squares fitting of regression lines to the observed $\Delta y(\text{O}_2)$ and $\Delta y(\text{CO}_2)$ values during successive 24-h periods in Fig. 3b. As seen in the figure, both ER values higher and lower than 1.1 were observed throughout the observation periods. When terrestrial biosphere emits CO_2 to the atmosphere, i.e. respiration signal is larger than photosynthesis signal, the ER values ranging from 1.05 to 2.00 are expected from

combination fluxes of terrestrial biospheric activities, gas, liquid, and solid fuels combustion. Similar ER values have been observed at other Japanese sites (e.g. Minejima et al., 2012; Goto et al., 2013; Ishidoya et al., 2020).”

Line 163: Are these the monthly average correlations?

We have removed the related sentence. Instead, the sentences have been added to discuss validity of the atmospheric transport model (Lines 212-221 and Fig. 4).

Line 190-192: How valid is your assumption that ocean fluxes are not influencing the results?

We cannot validate it completely. However, as we described in lines 164-174, $y(\text{CO}_2^*)$ anomaly obtained by subtracting the baseline variation is considered to indicate CO_2 changes due mainly to the contribution of the cement production since temporal variations in $\delta(\text{O}_2/\text{N}_2)$ due to the contribution of oceanic signal are generally slower than that of the cement production.

Line 208: Does this statement mean that you miss some of the CO_2 signal of the cement plant in Figure 5? Please specify.

Lines 248-249: The sentence has been rewritten as follows to make the meaning of “overall ER” clearer. “This means CO_2 is presumably released as well, so that the overall ER for the CO_2 emitted from cement plant (cement production + fossil fuel combustion) would not be 0.”

Line 222: Here, it is mentioned that the ocean fluxes can significantly influence the observed signals. See the major point above, and my comment at line 190-192, and please address this point in the discussion of the paper.

As we mentioned above, we cannot validate it completely whether the oceanic flux effect is excluded enough or not. This is a limitation of our method, so that we have add sentences “Therefore, as a next step, we should use higher-resolution atmospheric transport model to improve an agreement between the observed and simulated CO_2 amount fractions. It is also needed to develop more accurate method to extract $y(\text{CO}_2^*)$ due only to cement production especially for the period air-sea O_2 flux is substantial” (lines 321-324). We consider the oceanic flux effect is substantial in May, 2018 since we can distinguish short-term variations in $\delta(\text{O}_2/\text{N}_2)$ without simultaneous changes in CO_2 amount fraction (Fig. A1e) (lines 279-281).

Line 234: Why is the complicated topography only a problem in February 2018 and not in other months? And can this fully explain the difference between simulated and observed signals, also for other months? This issue needs more explanation.

As we replied to your major comments, we have found a mistake in the analysis of the $y(\text{CO}_2^*)$ in

February 2018. In the revised manuscript, discrepancy between the monthly means of $y(\text{CO}_2^*)$ anomalies and $y(\text{CO}_2, \text{cement})$ is not so serious, so that we have removed the sentence you pointed out.

Lines 241-247: The link between the method presented here to detect the cement plant emissions and detection of leakages from carbon capture sites is made several times throughout the paper. During this study it is made clear that with the help of CO we could see if the air came from fossil fuel sources or the cement plant. However, there would be no source of CO when the method is applied to detect carbon capture leakages. The method would work for carbon capture from a flue gas (line 60). I think it is good to make a distinction of when CO needs to be used, as it is quite an important component of this research.

Lines 288-290: The sentences “It should be also noted that we did not use CO amount fraction for the calculation of $y(\text{CO}_2^*)$. This is an important advantage to apply $y(\text{CO}_2^*)$ to detect CO₂ capture and/or CO₂ leak which do not emit CO.” have been added to indicate the method works without help of CO.

Line 217: I wonder if there is a way to go from the CO₂ anomalies caused by the cement plant (figure 5) to the emissions of the cement plant. As this could be a crucial step to use this approach for emission verification. Could you discuss this?

Could you please separate the results and discussion sections, including several subsections, and rewrite the summary section to a conclusion section?

Lines 319-325: Following sentences have been added to discuss future tasks needed to estimate the emission of the cement plant from the observed and simulated CO₂ anomalies.

“As a remaining topic, we point out the fact that detail variations in the CO₂ amount fraction were not reproduced by the AIST-MM enough. This is due to insufficiency of spatial resolution of the AIST-MM at least partly, to reproduce air transport from a point source such as the cement plant in the present study. Therefore, as a next step, we should use higher-resolution atmospheric transport model to improve an agreement between the observed and simulated CO₂ amount fractions. It is also needed to develop more accurate method to extract $y(\text{CO}_2^*)$ due only to cement production especially for the period air-sea O₂ flux is substantial. Such improvement will make it possible to estimate amounts of CO₂ capture and/or CO₂ leak around the observation site from an inversion analysis using the higher-resolution atmospheric transport model.”

We have changed the “summary” section to a “conclusions” section, as suggested. We leave the “results and discussion” section as it is, since we think the reader can follow it without separating into subsections. Instead, we have moved some sentences to the method section from the results and discussion section, as you suggested above, and separated the method section into subsections.

